



Tubing



Stainless Steel
316/316L dual
1/8" - 2" Sizes Range
.028" - .188" Thickness Range

Pots



Stainless Steel
316/316L dual
SCH 40 & 80
Sizes: 2", 3" & 4"
Made in Mexico

ING: SANTIAGO HERNANDEZ LOPEZ
TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB
CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS OIL & GAS S.A DE C.V



MALE CONNECTOR



MALE ELBOW



FEMALE CONNECTOR



UNION TEE



BRANCH TEE



RUN TEE



UNION



UNION ELBOW



CAP



PLUG



NUT



FERRULE SET

ING: SANTIAGO HERNANDEZ LOPEZ
TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB
CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS
OIL & GAS S.A DE C.V



Gauges



IN-LINE Check Valves



1/8" - 1" Sizes Range
Brass & SS Material
MxF & FxF Ends

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOSA, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Needle Valves

NS/NC



Delrin Seat (6000 PSI)
Metal Seat (10000 PSI)
FxF / MxF - NPT & OD Ends
NACE MR - 0175
Sizes: 1/4" - 1"

NBC/NBS



Blees Type
Delrin Seat (6000 PSI)
MxF - NPT Ends
NACE MR - 0175
Sizes: 1/4" - 1"

NAC/NAS



Angle Type
Metal Seat (1000 PSI)
MxF - NPT Ends
NACE MR - 0175
Sizes: 1/4" - 3/4"

NMC/NMS



Mini Type
Delrin Seat (6000 PSI)
MxF - NPT Ends
NACE MR - 0175
Sizes: 1/4"

ING: SANTIAGO HERNANDEZ LOPEZ

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

TEL: 99-33-01-90-01 O 99-34-19-63-17

CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS OIL & GAS S.A DE C.V



NPC/NPS



Multi-port Type
Delrin Seat (6000 PSI)
Metal Seat (10000 PSI)
MxF - NPT Ends
NACE MR - 0175
Sizes: 1/2"

2S



2- Valve
Metal Seat (6000 PSI)
MxF - NPT Ends
Vent: 1/4"
NACE MR - 0175
Sizes: 1/2"

3S



3-Valve
Metal Seat (6000 PSI)
Pipe - Flanged
NACE MR - 0175
Sizes: 1/2"

5S



5-Valve
Metal Seat (6000 PSI)
Pipe - Flanged
NACE MR - 0175
Sizes: 1/2"

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Hammer Unions

FIG.100 THRD



FIG.200 & 206 THRD



FIG. 200 & 206 BW



FIG. 400 THRD



FIG. 602 THRD



FIG. 602 BW



FIG. 1002 THRD



FIG.1002 BW



FIG. 1502 THRD



FIG. 1502 BW



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Expansion Joint

BUNA-NBR
C.S. GLANGES
Class: 150
Sizes: 2" - 24"



Ring Joint



Stainless/Carbon Steel
R, RG & BX Types
Oval & Octagonal

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Flanges

Carbon Steel

ANSI/ ASME B16.5
Forged Steel SA/A-105N

Stainless Steel

Forged Steel A-182 Gr. 304/304L
Forged Steel A-182 Gr. 316/316L

Class: 150/300/600/900/1,500/2,500
Sizes: 1/2" - 54"

*REDUCING FLANGES AVAILABLE UNDER REQUEST

LAP JOINT



BLIND



SLIP ON



SOCKET WELD



THREADED



WELDING NECK



OLINE[®]
PRODUCTS

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS
OIL & GAS S.A DE C.V



DLINE
PRODUCTS

Forged Fittings



90° ELBOW



45° ELBOW



REDUCING TEE



TEE



UNION



90° STREET ELBOW



CROSS



COUPLING



RED BUSH



LATERAL 45



PLUG



CAP



WELDOLET



THREDOLET



SOCKOLET

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS
OIL & GAS S.A DE C.V



BW Fittings



Cast Fittings 150PSI/ Nipples



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Ball Valves

FLANGED END



Fig. 5112FF/ 5312FF/ 5612FF

Fig. 5112TF/ 5312TF/ 5612TF

A-216 WCB Body
Full Port
API 6D / API 608
NACE MR - 0175
316SS TRIM
ASME B16.10/B16.5
Sizes: 1" - 12"

FLOATING & TRUNNION TYPES

2010CR



2000 PSI Reduced Port
Forged Steel
NACE MR - 0175
ASME B1.20.1
API 598
1 PC Body
Sizes: 1/4" - 2"

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS OIL & GAS S.A DE C.V



1010 SERIES

Stainless/Carbon Steel
1000 PSI Reduced Port
NACE MR - 0175
ASME B1.20.1
API 598
1 PC Body
Sizes: 1/4" - 2"



1020 SERIES

Stainless/Carbon Steel
1000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598
2 PC Body
Sizes: 1/4" - 4"



1030 SERIES

Stainless/Carbon Steel
1000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598
3 PC Body
Sizes: 1/4" - 4"



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS OIL & GAS S.A DE C.V



1530 SERIES

Stainless/Carbon Steel
1500 PSI Standard Port
NACE MR - 0175
ASME B1.20.1
API 598
3 PC Body
Sizes: 1/4" - 2"



2020 SERIES

Stainless/Carbon Steel
2000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598
2 PC Body
Sizes: 1/4" - 2"



3020 SERIES

Stainless/Carbon Steel
3000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598 / API 607
2 PC Body
Sizes: 1/4" - 2"



6020 SERIES

Stainless/Carbon Steel
6000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598 / API 607
2 PC Body
Sizes: 1/4" - 1 1/2" Full Port
2" Reduced Port



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Cast Steel Valves



GATE VALVE

Cast Steel A-216 Gr. WCB
API 600
API TRIM 8
ASME B16.34
RF Ends
Class: 150 / 300 / 600
Sizes: 2" - 24"

Fig. 1118F / 1318 F / 1618F



CHECK VALVE

Cast Steel A-216 Gr. WCB
BS 1868
API TRIM 8
ASME B16.34
RF Ends
Class: 150 / 300 / 600
Sizes: 2" - 24"

Fig. 2118F / 2318 F / 2618F



GLOBE VALVE

Cast Steel A-216 Gr. WCB
API 623 (BS 1873)
API TRIM 8
ASME B16.34
RF Ends
Class: 150 / 300 / 600
Sizes: 2" - 12"

Fig. 3118F / 3318F / 3618F

ING: SANTIAGO HERNANDEZ LOPEZ
TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB
CORREO: VENTAS01SYD@OUTLOOK.COM



SS Cast Steel Valves



Fig. 1131F / 1331F

GATE VALVE

ASTM A-351 Gr.CF8M
API TRIM 10
ASME B16.34
Class: 150 / 300
Sizes: 2" - 12"



Fig. 2131F / 2331F

CHECK VALVE

ASTM A-351 Gr.CF8M
API TRIM 10
ASME B16.34
Class: 150 / 300
Sizes: 1" - 12"



Fig. 3131F / 3331F

GLOBE VALVE

ASTM A-351 Gr.CF8M
API TRIM 10
ASME B16.34
Class: 150 / 300
Sizes: 2" - 12"

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Single & Dual Disc Check Valves

CV44M-CS/CV 44M-SS

Wafer - Dual Disc
Stainless/Carbon Steel
Class: 300
Sizes: 2" - 48"



CV42M-CS/CV 42M-SS

Wafer & Lug Type Dual Disc
Stainless/Carbon Steel
Class: 150
Sizes: 2" - 48"



CV32M-CS/CV32T-SS

Wafer -Swing
Stainless/Carbon Steel
Class: 150
Sizes: 2" - 12"



CV31B-DI

Wafer -Swing
Ductile Iron
Class: 150
Sizes: 2" - 12"



CV41B-DI

Wafer -Swing
Ductile Iron
Class: 150
Sizes: 2" - 12"



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Butterfly Valves

200 PSI CLASS 125/150

*GEAR OPERATOR AVAILABLE FROM 1"

4111W



Wafer Type
Ductil Iron Body
Buna Seat
Zinc Plated Ductil Iron Disc
Sizes: 2" - 36"

4112W



Wafer Type
Ductil Iron Body
Buna Seat
Stainless Steel CF8M Disc
Sizes: 1" - 36"

4111L



Lug Type
Ductil Iron Body
Buna Seat
Zinc Plated Ductil Iron Disc
Sizes: 2" - 36"

4112L



Lug Type
Ductil Iron Body
Buna Seat
Stainless Steel CF8M Disc
Sizes: 1" - 36"

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Cast Iron Valves



CHECK VALVE

MSS SP-70
Cast Iron
ASTM A-216 Gr.B
FF Ends
Class: 125
Sizes: 2" - 12"

Fig. 244BR



NRS GATE VALVE

MSS SP-70
Cast Iron
ASTM A-216 Gr.B
FF Ends
Class: 125
Sizes: 2" - 12"

Fig. 644BR



OS&Y GATE VALVE

MSS SP-70
Cast Iron
ASTM A-216 Gr.B
FF Ends
Class: 125
Sizes: 2" - 12"

Fig. 144BR



GLOBE VALVE

MSS SP-70
Cast Iron
ASTM A-216 Gr.B
FF Ends
Class: 125
Sizes: 2" - 12"

Fig. 344BR

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Y-Strainers

ST12

Ductile Iron Body
SS Screen
NPT Ends
Class: 300
Sizes: 1/4" - 3"



ST80T SERIES

WCB & CF8M Body
SS Screen
NPT Ends
800 WOG
Sizes: 1/4" - 4"



ST58

Ductile Iron Body
SS Screen
FF Ends
Class: 125
Sizes: 2" - 24"



ST 61 SERIES

WCB & CF8M Body
SS Screen
RF Ends
Class: 150
Sizes: 1" - 24"



ST 62 SERIES

WCB & CF8M Body
SS Screen
RF Ends
Class: 300
Sizes: 2" - 12"



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Forged Steel Valves

API 602
NACE MR-0175
Forged Steel A-105N/TRIM 8
Forged Steel A-182 Gr. F316L /TRIM 10
NPT Ends
Class: 800
Sizes: 1/4" - 2"

GATE VALVE



Fig. 1828T / 1831T

CHECK VALVE



Fig. 2828T / 2831T

GLOBE VALVE



Fig. 3828T / 3831T

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Oil Field Valves

BDT SERIES

1000/2000 PSI
Ductile Iron Body
Stainless Steel Ball
NACE MR - 0175
1" Full Port
2" - 4" Reduced Port



FIG. BDT1/BDT2

BCT SERIES

3000/5000 PSI
Carbon Steel Body
Stainless Steel Ball
NACE MR - 0175
2" Reduced Port



FIG. BCT3/BCT5

CCT SERIES

3600 - 5000 PSI
Carbon Steel Swing Check
CF8M Disc Viton Seat
NACE MR - 0175
Sizes: 1" & 2"



FIG. CCT3 / CCT5

CDT SERIES

2000 PSI
Ductile Iron Swing Check
CF8M Disc Viton Seat
NACE MR - 0175
Sizes: 1", 2", 3" & 4"



FIG. CDT2

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Gaskets



CG & CGI

ASME B16.20
Stainless Steel 304L & 316L
Filler Graphite
Class: 150 / 300 / 600
Sizes: 1/2" - 36"

Studs



B7P SERIES

Carbon Steel A-193 Gr.B7 & A-194 Gr.2H
Zinc plated coating
Diameters: 1/2" - 1 7/8"
Length: 2 1/2" - 15 1/2"

Backing Rings



BRCS

Carbon Steel SA/A-105
ANSI B16.50
Class: 125 / 150
Sizes: 2" - 24"

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Basket Strainers

BS 25-CI / BS 25F-CI



Quick - Open Cover
Sizes: 3/8" - 3" (Threaded)
Class: 125
Sizes: 1" - 8" (Flanged)

BS 65-CI



Flanged
Bolted Cover
Class: 125
Sizes: 2" - 12"

BS 35 SERIES



Threaded / Socket Weld
Class: 150 / 300
Sizes: 3/8" - 3"

BS 85 SERIES



Flanged
Bolted Cover
Class: 150
Sizes: 2" - 12"



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Check Valves



CV 80-SS



Stainless Steel Body
Threaded End
Class: 300
Sizes: 1/4" - 3"

CV 50-DI



Ductile Iron Body
Flanged & Threaded End
Class: 150 / 300
Sizes: 3/4" - 36"

CV 51 SERIES



Carbon & Stainless Steel Body
Flanged End
Class: 150
Sizes: 2" - 24"

CV 52 SERIES



Carbon & Stainless Steel Body
Flanged End
Class: 300
Sizes: 2" - 24"

ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM



Grooved Fittings

Standard:

ASTM A-536

Housing Material:

Ductile Iron

Gr.65-45-12

Nuts & Bolts Material:

Conform to ASTM A-183

& Plated to ASTM B-633

Sizes: 3/4" - 36"



ASME



Std. Rigid Coupling



Std. Flexible Coupling



HDPE-to-steel transition coupling



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS OIL & GAS S.A DE C.V



Reducing Coupling



High Pressure Coupling



Flange Adapter



Flexible Coupling



Flange Adapter Niple



Lateral 45°



True Wye



3D Elbow



3R Elbow



ING: SANTIAGO HERNANDEZ LOPEZ
TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB
CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS OIL & GAS S.A DE C.V



ING: SANTIAGO HERNANDEZ LOPEZ
TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB
CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS OIL & GAS S.A DE C.V



SERIE 3A



SERIE 36



SERIE 30 / 31



SERIE 40 - 45



SERIE 20 / 21



ING: SANTIAGO HERNANDEZ LOPEZ

TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB

CORREO: VENTAS01SYD@OUTLOOK.COM

SYD SERVICIOS Y SUMINISTROS OIL & GAS S.A DE C.V



ING: SANTIAGO HERNANDEZ LOPEZ
TEL: 99-33-01-90-01 O 99-34-19-63-17

DIRECCION: ANTONI REYES ZURITA 108# VILLAHERMOS, TAB
CORREO: VENTAS01SYD@OUTLOOK.COM